

**BJ WALLER**  
ARCHITECTURAL IRONMONGERS



**ELECTRICAL  
ACCESSORIES -  
ELITE FLAT**

## Elite Flat Plate

Tel: 01384 457900  
Fax: 01384 243312



Box Depth

10 AMP Rocker Switches		CODE	£	CODE	£	CODE	£	CODE	£	CODE	£	
	1 Gang 2 Way Switch white trim	T01.800.PBW	10.09	T02.800.PCW	10.09	T03.800.SCW	10.09	T04.800.SBW	10.09	T05.800.SNW	10.09	25
	1 Gang 2 Way Switch black trim	T01.800.PBBK	10.09	T02.800.PCBK	10.09	T03.800.SCBK	10.09	T04.800.SBBK	10.09	T05.800.SNBK	10.09	25
	2 Gang 2 Way Switch white trim	T01.810.PBW	13.48	T02.810.PCW	13.48	T03.810.SCW	13.48	T04.810.SBW	13.48	T05.810.SNW	13.48	25
	2 Gang 2 Way Switch black trim	T01.810.PBBK	13.48	T02.810.PCBK	13.48	T03.810.SCBK	13.48	T04.810.SBBK	13.48	T05.810.SNBK	13.48	25
	3 gang 2 Way Switch white trim	T01.820.PBW	18.29	T02.820.PCW	18.29	T03.820.SCW	18.29	T04.820.SBW	18.29	T05.820.SNW	18.29	25
	3 gang 2 Way Switch black trim	T01.820.PBBK	18.29	T02.820.PCBK	18.29	T03.820.SCBK	18.29	T04.820.SBBK	18.29	T05.820.SNBK	18.29	25
	4 gang 2 Way Switch white trim	T01.830.PBW	24.76	T02.830.PCW	24.76	T03.830.SCW	24.76	T04.830.SBW	24.76	T05.830.SNW	24.76	25
	4 gang 2 Way Switch black trim	T01.830.PBBK	24.76	T02.830.PCBK	24.76	T03.830.SCBK	24.76	T04.830.SBBK	24.76	T05.830.SNBK	24.76	25
	1 Gang Intermediate white trim	T01.801.PBW	16.37	T02.801.PCW	16.37	T03.801.SCW	16.37	T04.801.SBW	16.37	T05.801.SNW	16.37	25
	1 Gang Intermediate black trim	T01.801.PBBK	16.37	T02.801.PCBK	16.37	T03.801.SCBK	16.37	T04.801.SBBK	16.37	T05.801.SNBK	16.37	25
13 AMP Switched Sockets												
	Single 13 AMP socket white trim	T01.840.PBW	13.42	T02.840.PCW	13.42	T03.840.SCW	13.42	T04.840.SBW	13.42	T05.840.SNW	13.42	35
	Single 13 AMP socket black trim	T01.840.PBBK	13.42	T02.840.PCBK	13.42	T03.840.SCBK	13.42	T04.840.SBBK	13.42	T05.840.SNBK	13.42	35
	Double 13 AMP socket white trim	T01.850.PBW	17.37	T02.850.PCW	17.37	T03.850.SCW	17.37	T04.850.SBW	17.37	T05.850.SNW	17.37	35
	Double 13 AMP socket black trim	T01.850.PBBK	17.37	T02.850.PCBK	17.37	T03.850.SCBK	17.37	T04.850.SBBK	17.37	T05.850.SNBK	17.37	35
13 AMP Fused Spur Units (Connection Units)												
	Unswitched Spur white trim	T01.834.W	16.54	T02.834.W	16.54	T03.834.W	16.54	T04.834.W	16.54	T05.834.W	16.54	35
	Unswitched Spur black trim	T01.834.BK	16.54	T02.834.BK	16.54	T03.834.BK	16.54	T04.834.BK	16.54	T05.834.BK	16.54	35
	Switched Spur white trim	T01.835.PBW	18.21	T02.835.PCW	18.21	T03.835.SCW	18.21	T04.835.SBW	18.21	T05.835.SNW	18.21	35
	Switched Spur black trim	T01.835.PBBK	18.21	T02.835.PCBK	18.21	T03.835.SCBK	18.21	T04.835.SBBK	18.21	T05.835.SNBK	18.21	35
	Switched with neon white trim	T01.836.PBW	22.33	T02.836.PCW	22.33	T03.836.SCW	22.33	T04.836.SBW	22.33	T05.836.SNW	22.33	35
	Switched with neon black trim	T01.836.PBBK	22.33	T02.836.PCBK	22.33	T03.836.SCBK	22.33	T04.836.SBBK	22.33	T05.836.SNBK	22.33	35
	Switched with neon/cord white in.	T01.838.PBW	29.42	T02.838.PCW	29.42	T03.838.SCW	29.42	T04.838.SBW	29.42	T05.838.SNW	29.42	35
	Switched with neon/cord black in.	T01.838.PBBK	29.42	T02.838.PCBK	29.42	T03.838.SCBK	29.42	T04.838.SBBK	29.42	T05.838.SNBK	29.42	35
20 AMP Dolly Switches												
	1 gang dolly switch	T01.3400.PB	24.60	T02.3400.PC	24.60	T03.3400.SC	24.60	T04.3400.SB	24.60	T05.3400.SN	24.60	35
	2 gang dolly switch	T01.3410.PB	36.67	T02.3410.PC	36.67	T03.3410.SC	36.67	T04.3410.SB	36.67	T05.3410.SN	36.67	35
	3 gang dolly switch	T01.3420.PB	48.56	T02.3420.PC	48.56	T03.3420.SC	48.56	T04.3420.SB	48.56	T05.3420.SN	48.56	35
	4 gang dolly switch	T01.3430.PB	60.14	T02.3430.PC	60.14	T03.3430.SC	60.14	T04.3430.SB	60.14	T05.3430.SN	60.14	35
	1 gang Intermediate	T01.3401.PB	29.60	T02.3401.PC	29.60	T03.3401.SC	29.60	T04.3401.SB	29.60	T05.3401.SN	29.60	35
2 Way Push On/Off Dimmer Switches												
	1 gang dimmer (250 watts)	T01.971/250	24.60	T02.971/250	24.60	T03.971/250	24.60	T04.971/250	24.60	T05.971/250	24.60	35
	1 gang dimmer (400 watts)	T01.971/400	24.90	T02.971/400	24.90	T03.971/400	24.90	T04.971/400	24.90	T05.971/400	24.90	35
	2 gang dimmer (250 watts)	T01.972/250	38.67	T02.972/250	38.67	T03.972/250	38.67	T04.972/250	38.67	T05.972/250	38.67	35
	2 gang dimmer (400 watts)	T01.972/400	43.04	T02.972/400	43.04	T03.972/400	43.04	T04.972/400	43.04	T05.972/400	43.04	35
	3 gang dimmer (250 watts)	T01.973/250	56.46	T02.973/250	56.46	T03.973/250	56.46	T04.973/250	56.46	T05.973/250	56.46	35
	3 gang dimmer (400 watts)	T01.973/400	63.26	T02.973/400	63.26	T03.973/400	63.26	T04.973/400	63.26	T05.973/400	63.26	35
	4 gang dimmer (250 watts)	T01.974/250	68.14	T02.974/250	68.14	T03.974/250	68.14	T04.974/250	68.14	T05.974/250	68.14	35
	4 gang dimmer (400 watts)	T01.974/400	77.18	T02.974/400	77.18	T03.974/400	77.18	T04.974/400	77.18	T05.974/400	77.18	35
Low Voltage Dimmer Switches												
	1 gang Low Voltage 250VA	LVT01.971/250	32.75	LVT02.971/250	32.75	LVT03.971/250	32.75	LVT04.971/250	32.75	LVT05.971/250	32.75	35
	1 gang Low Voltage 400VA	LVT01.971/400	34.08	LVT02.971/400	34.08	LVT03.971/400	34.08	LVT04.971/400	34.08	LVT05.971/400	34.08	35
	2 gang Low Voltage 250VA	LVT01.972/250	47.08	LVT02.972/250	47.08	LVT03.972/250	47.08	LVT04.972/250	47.08	LVT05.972/250	47.08	35
	2 gang Low Voltage 400VA	LVT01.972/400	51.68	LVT02.972/400	51.68	LVT03.972/400	51.68	LVT04.972/400	51.68	LVT05.972/400	51.68	35
	3 gang Low Voltage 250VA	LVT01.973/250	68.10	LVT02.973/250	68.10	LVT03.973/250	68.10	LVT04.973/250	68.10	LVT05.973/250	68.10	35
	3 gang Low Voltage 400VA	LVT01.973/400	73.94	LVT02.973/400	73.94	LVT03.973/400	73.94	LVT04.973/400	73.94	LVT05.973/400	73.94	35
	4 gang Low Voltage 250VA	LVT01.974/250	79.56	LVT02.974/250	79.56	LVT03.974/250	79.56	LVT04.974/250	79.56	LVT05.974/250	79.56	35
	4 gang Low Voltage 400VA	LVT01.974/400	88.04	LVT02.974/400	88.04	LVT03.974/400	88.04	LVT04.974/400	88.04	LVT05.974/400	88.04	35
20 AMP D.P. Switches												
	20 AMP D.P. Switch white trim	T01.805PBW	16.07	T02.805PCW	16.07	T03.805SCW	16.07	T04.805SBW	16.07	T05.805SNW	16.07	35
	20 AMP D.P. Switch black trim	T01.805PBBK	16.07	T02.805PCBK	16.07	T03.805SCBK	16.07	T04.805SBBK	16.07	T05.805SNBK	16.07	35
	20 AMP Switch with Neon white trim	T01.806PBW	18.85	T02.806PCW	18.85	T03.806SCW	18.85	T04.806SBW	18.85	T05.806SNW	18.85	35
	20 AMP Switch with Neon black trim	T01.806PBBK	18.85	T02.806PCBK	18.85	T03.806SCBK	18.85	T04.806SBBK	18.85	T05.806SNBK	18.85	35

## Elite Flat Plate

Tel: 01384 457900  
Fax: 01384 243312



Box Depth

45 AMP Cooker Switches		CODE	£	CODE	£	CODE	£	CODE	£	CODE	£	
	45AMP Switch-Neon (twin plate) Red Rocker	T01.961W	33.42	T02.961W	33.42	T03.961W	33.42	T04.961W	33.42	T05.961W	33.42	48
	45AMP Switch-Neon (twin plate) Red Rocker	T01.961BK	33.42	T02.961BK	33.42	T03.961BK	33.42	T04.961BK	33.42	T05.961BK	33.42	48
	45AMP Switch (single plate) Red Rocker w.trim	T01.963W	29.10	T02.963W	29.10	T03.963W	29.10	T04.963W	29.10	T05.963W	29.10	48
	45AMP Switch (single plate) Red Rocker b.trim	T01.963BK	29.10	T02.963BK	29.10	T03.963BK	29.10	T04.963BK	29.10	T05.963BK	29.10	48
	45AMP cooker unit-13A socket white trim	T01.962W	46.38	T02.962W	46.38	T03.962W	46.38	T04.962W	46.38	T05.962W	46.38	48
	45AMP cooker unit-13A socket black trim	T01.962BK	46.38	T02.962BK	46.38	T03.962BK	46.38	T04.962BK	46.38	T05.962BK	46.38	48
Triple Pole Fan Isolating Switch												
	6 AMP switch with white trim	T01.990W	18.32	T02.990W	18.32	T03.990W	18.32	T04.990W	18.32	T05.990W	18.32	25
	6 AMP switch with black trim	T01.990BK	18.32	T02.990BK	18.32	T03.990BK	18.32	T04.990BK	18.32	T05.990BK	18.32	25
Round Pin Sockets Unswitched												
	5 AMP 3 pin white trim	T01.982W	21.13	T02.982W	21.13	T03.982W	21.13	T04.982W	21.13	T05.982W	21.13	35
	5 AMP 3 pin black trim	T01.982BK	21.13	T02.982BK	21.13	T03.982BK	21.13	T04.982BK	21.13	T05.982BK	21.13	35
Shaver Socket Dual Output												
	Output voltage 110/240V white trim	T01.985W	46.38	T02.985W	46.38	T03.985W	46.38	T04.985W	46.38	T05.985W	46.38	48
	Output voltage 110/240V black trim	T01.985BK	46.38	T02.985BK	46.38	T03.985BK	46.38	T04.985BK	46.38	T05.985BK	46.38	48
TV/Coaxial Sockets												
	Single Non-Isolated white trim	T01.921W	14.27	T02.921W	14.27	T03.921W	14.27	T04.921W	14.27	T05.921W	14.27	35
	Single Non-Isolated black trim	T01.921BK	14.27	T02.921BK	14.27	T03.921BK	14.27	T04.921BK	14.27	T05.921BK	14.27	35
	Single Isolated white trim	T01.923W	18.76	T02.923W	18.76	T03.923W	18.76	T04.923W	18.76	T05.923W	18.76	35
	Single Isolated black trim	T01.923BK	18.76	T02.923BK	18.76	T03.923BK	18.76	T04.923BK	18.76	T05.923BK	18.76	35
	Twin Non-Isolated white trim	T01.922W	22.54	T02.922W	22.54	T03.922W	22.54	T04.922W	22.54	T05.922W	22.54	35
	Twin Non-Isolated black trim	T01.922BK	22.54	T02.922BK	22.54	T03.922BK	22.54	T04.922BK	22.54	T05.922BK	22.54	35
	TV/FM Diplexed white trim	T01.924W	29.60	T02.924W	29.60	T03.924W	29.60	T04.924W	29.60	T05.924W	29.60	35
	TV/FM Diplexed black trim	T01.924BK	29.60	T02.924BK	29.60	T03.924BK	29.60	T04.924BK	29.60	T05.924BK	29.60	35
Satellite Sockets												
	Satellite Socket white trim	T01.925W	19.00	T02.925W	19.00	T03.925W	19.00	T04.925W	19.00	T05.925W	19.00	35
	Satellite Socket black trim	T01.925BK	19.00	T02.925BK	19.00	T03.925BK	19.00	T04.925BK	19.00	T05.925BK	19.00	35
	TV/Satellite Socket white trim	T01.926W	28.37	T02.926W	28.37	T03.926W	28.37	T04.926W	28.37	T05.926W	28.37	35
	TV/Satellite Socket black trim	T01.926BK	28.37	T02.926BK	28.37	T03.926BK	28.37	T04.926BK	28.37	T05.926BK	28.37	35
	1 Gang Triplex TV/FM/SAT white trim	T01.616W	38.94	T02.616W	38.94	T03.616W	38.94	T04.616W	38.94	T05.616W	38.94	35
	1 Gang Triplex TV/FM/SAT black trim	T01.616BK	38.84	T02.616BK	38.84	T03.616BK	38.84	T04.616BK	38.84	T05.616BK	38.84	35
Telephone and Data Sockets												
	1 Gang Secondary Line white trim	T01.966W	16.74	T02.966W	16.74	T03.966W	16.74	T04.966W	16.74	T05.966W	16.74	35
	1 Gang Secondary Line black trim	T01.966BK	16.74	T02.966BK	16.74	T03.966BK	16.74	T04.966BK	16.74	T05.966BK	16.74	35
	1 Gang Master Line white trim	T01.967W	18.98	T02.967W	18.98	T03.967W	18.98	T04.967W	18.98	T05.967W	18.98	35
	1 Gang Master Line black trim	T01.967BK	18.98	T02.967BK	18.98	T03.967BK	18.98	T04.967BK	18.98	T05.967BK	18.98	35
	2 Gang Secondary line white trim	T01.956W	32.14	T02.956W	32.14	T03.956W	32.14	T04.956W	32.14	T05.956W	32.14	35
	2 Gang Secondary line black trim	T01.956BK	32.14	T02.956BK	32.14	T03.956BK	32.14	T04.956BK	32.14	T05.956BK	32.14	35
	2 Gang Master line white trim	T01.957W	34.96	T02.957W	34.96	T03.957W	34.96	T04.957W	34.96	T05.957W	34.96	35
	2 Gang Master line black trim	T01.957BK	34.96	T02.957BK	34.96	T03.957BK	34.96	T04.957BK	34.96	T05.957BK	34.96	35
	1 Gang RJ45 white trim	T01.968W	23.36	T02.968W	23.36	T03.968W	23.36	T04.968W	23.36	T05.968W	23.36	35
	1 Gang RJ45 black trim	T01.968BK	23.36	T02.968BK	23.36	T03.968BK	23.36	T04.968BK	23.36	T05.968BK	23.36	35
	2 Gang RJ45 white trim	T01.958W	32.14	T02.958W	32.14	T03.958W	32.14	T04.958W	32.14	T05.958W	32.14	35
	2 Gang RJ45 black trim	T01.958BK	32.14	T02.958BK	32.14	T03.958BK	32.14	T04.958BK	32.14	T05.958BK	32.14	35
	1 Gang RJ11 white trim	T01.969W	23.36	T02.969W	23.36	T03.969W	23.36	T04.969W	23.36	T05.969W	23.36	35
	1 Gang RJ11 black trim	T01.969BK	23.36	T02.969BK	23.36	T03.969BK	23.36	T04.969BK	23.36	T05.969BK	23.36	35
Blanking Plates												
	Single Section Blank Plate	T01.931	9.39	T02.931	9.39	T03.931	9.39	T04.931	9.39	T05.931	9.39	~
	Double Section Blank Plate	T01.932	11.79	T02.932	11.79	T03.932	11.79	T04.932	11.79	T05.932	11.79	~

**BJ Waller Ltd,  
20 Wilburton Road  
Stretham, Ely  
Cambridgeshire  
CB6 3LN  
Tel: 01353 647111  
Fax: 01353 648899  
Email: [sales@bjwaller.co.uk](mailto:sales@bjwaller.co.uk)  
Web: [www.bjwaller.co.uk](http://www.bjwaller.co.uk)**